

L Number	Hits	Search Text	DB	Time stamp
-	6293657	@py<1999	USPAT; US-PGPUB	2003/10/24 15:07
-	13	"data mapping program"	USPAT; US-PGPUB	2003/10/24 15:08
-	1013527	data mappi\$4 with program\$3	USPAT; US-PGPUB	2003/10/24 15:08
-	499381	(data mappi\$4 with program\$3) and @py<1999	USPAT; US-PGPUB	2003/10/24 15:09
-	16097	((data mappi\$4 with program\$3) and @py<1999) and host with computer	USPAT; US-PGPUB	2003/10/24 15:11
-	3591	((((data mappi\$4 with program\$3) and @py<1999) and host with computer) and (host with computer) near5 (receive\$ or send\$)	USPAT; US-PGPUB	2003/10/24 15:12
-	5	(((((data mappi\$4 with program\$3) and @py<1999) and host with computer) and (host with computer) near5 (receive\$ or send\$)) and (data near5 remapping)	USPAT; US-PGPUB	2003/10/24 15:25
-	19	(((((data mappi\$4 with program\$3) and @py<1999) and host with computer) and (host with computer) near5 (receive\$ or send\$)) and remappi\$5	USPAT; US-PGPUB	2003/10/24 15:31
-	207	717/168.ccls.	USPAT; US-PGPUB	2003/10/31 11:19
-	34	@py<1999 and 717/168.ccls.	USPAT; US-PGPUB	2003/10/24 15:31
-	187	@py<1999 and 717/168,169,170,171,172,173,174,175,176,177,	USPAT; US-PGPUB	2003/10/31 11:21
-	6	@py<1999 and 717/168,169,170,171,172,173,174,175,176,177, and host with computer\$3 near5 (control with program\$3)	USPAT; US-PGPUB	2003/10/31 12:04
-	3	@py<1999 and 717/168,169,170,171,172,173,174,175,176,177, and control with program\$3 near5 (rewrite\$ with program\$5)	USPAT; US-PGPUB	2003/10/31 12:05

WEST**Case List**

Case Name	Creation/Update Date	Run Case?	Update Case?	Delete?
<u>ALU</u>	2003-10-23	<u>Run</u>	<u>Update</u>	<input type="checkbox"/>
<u>vend1</u>	2003-10-16	<u>Run</u>	<u>Update</u>	<input type="checkbox"/>
<u>vend MachPredetermine102403</u>	2003-10-24	<u>Run</u>	<u>Update</u>	<input type="checkbox"/>
<u>Vending Machine</u>	2003-10-16	<u>Run</u>	<u>Update</u>	<input type="checkbox"/>
<u>vendMach1</u>	2003-10-22	<u>Run</u>	<u>Update</u>	<input type="checkbox"/>
<u>vendMach102403</u>	2003-10-24	<u>Run</u>	<u>Update</u>	<input type="checkbox"/>
<u>vendMach2</u>	2003-10-23	<u>Run</u>	<u>Update</u>	<input type="checkbox"/>
<u>vendMach_commuCntrl102903</u>	2003-10-29	<u>Run</u>	<u>Update</u>	<input type="checkbox"/>
<u>venMachDetermine1_102403</u>	2003-10-24	<u>Run</u>	<u>Update</u>	<input type="checkbox"/>

Delete CaseResetCancelHelpMain MenuLogout

L Number	Hits	Search Text	DB	Time stamp
-	207	717/168.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 14:41
-	23041861	@py<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 14:42
-	44	@py<2000 and 717/168.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 14:45
-	2059614	vending_machine\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 14:45
-	1510505	(vending machine\$) and @py<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 14:47
-	0	((vending machine\$) and @py<2000) and control\$ with device\$ with program\$ with rewritabl\$ with memor\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 14:50
-	0	((vending machine\$) and @py<2000) and suytem\$ with rewrit\$ with control with program\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 14:53
-	222	((vending machine\$) and @py<2000) and rewrit\$ with control with program\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 16:49
-	2	((vending machine\$) and @py<2000) and rewrit\$ with control with program\$ with remot\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 14:34
-	2	((vending machine\$) and @py<2000) and rewrit\$ with control with program\$) and rewrit\$ with control with program\$ with remot\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 16:38
-	5212	"18" ((vending machine\$) and @py<2000) and rewrit\$ with control with program\$) and rewrit\$ with control with program\$ with remot\$	USPAT; US-PGPUB	2003/10/15 16:41
-	147	((vending machine\$) and @py<2000) and rewrit\$ with control with program\$	USPAT; US-PGPUB	2003/10/15 16:49
-	3	method with update WITH new with version near5 control with program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:22
-	402	method NEAR control near program\$	USPAT; US-PGPUB	2003/10/16 09:26
-	3	(method NEAR control near program\$) with remot\$	USPAT; US-PGPUB	2003/10/16 09:28
-	0	(method NEAR control near program\$) with vend\$	USPAT; US-PGPUB	2003/10/16 09:28
-	7421	vending near machine	USPAT; US-PGPUB	2003/10/16 09:28
-	1248	(vending near machine) and update\$	USPAT; US-PGPUB	2003/10/16 09:28

-	2668	(vending near machine) and program\$	USPAT; US-PGPUB	2003/10/16 09:29
-	6293657	@py<1999	USPAT; US-PGPUB	2003/10/16 09:30
-	44551	((@py<1999 and ((vending near machine) and update\$)) "control program"	USPAT; US-PGPUB	2003/10/16 09:30
-	7400	((@py<1999 and ((vending near machine) and update\$)) "vending machine"	USPAT; US-PGPUB	2003/10/16 09:32
-	360	@py<1999 and ((vending near machine) and update\$)	USPAT; US-PGPUB	2003/10/16 10:03
-	690776	vending machine	USPAT; US-PGPUB	2003/10/16 10:29
-	366415	update\$ or Version\$	USPAT; US-PGPUB	2003/10/16 10:32
-	496638	control and program\$	USPAT; US-PGPUB	2003/10/16 10:35
-	426168	(vending machine) and @py<1999	USPAT; US-PGPUB	2003/10/16 10:36
-	43717	((vending machine) and @py<1999) and (update\$ or Version\$)	USPAT; US-PGPUB	2003/10/16 10:37
-	24969	((vending machine) and @py<1999) and (update\$ or Version\$) and (control and program\$)	USPAT; US-PGPUB	2003/10/16 10:39
-	24969	((vending machine) and @py<1999) and (update\$ or Version\$) and (control and program\$) and @py<1999	USPAT; US-PGPUB	2003/10/16 10:40
-	3	method\$ with update WITH new with version\$ near5 control with program\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:56
-	2	6363417.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 14:35
-	0	6363417.pn. and host near5 (send\$ or transmit\$ or transfer\$) near5 recei\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 15:19
-	2	6363417.pn. and host\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 15:49
-	2	5889942.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 15:52
-	1789832	5889942.pn. and host or system and receiv\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:33
-	2138	709/217.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:34
-	3715	709/203.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:34
-	2080	709/219.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:35

-	2115	709/217.ccls. and system\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 17:26
-	2408	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 17:28
-	27	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer and vending	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 17:29
-	22	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer and vending and updat\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 17:29
-	0	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer and vending and (updat\$7 or upgrad\$7) and arithmetic and logic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 17:30
-	0	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer and vending and (updat\$7 or upgrad\$7) and arithmetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 17:31
-	5	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer and vending and (updat\$7 or upgrad\$7) and data with map\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 17:31
-	22	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer and vending and (updat\$7 or upgrad\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 14:49
-	5	6018720.URPN.	USPAT	2003/10/16 18:01
-	5	6018720.URPN.	USPAT	2003/10/16 18:01
-	2	5651132.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 14:53
-	1318641	host computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 14:54
-	5299762	control program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 14:54
-	2704508	data mapping informaion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 14:54
-	21706533	@py<1999	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:01
-	238888	@py<1999 and (data mapping informaion) and (control program) and (host computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:00

-	1	(@py<1999 and (data mapping informaion) and (control program) and (host computer)) and data with mappi\$5 with info\$7 same send with host with compu\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/23 15:19
---	---	---	---	------------------

L Number	Hits	Search Text	DB	Time stamp
-	6293657	@py<1999	USPAT; US-PGPUB	2003/10/27 08:30
-	13	"data mapping program"	USPAT; US-PGPUB	2003/10/24 15:08
-	1013527	data mappi\$4 with program\$3	USPAT; US-PGPUB	2003/10/24 15:08
-	499381	(data mappi\$4 with program\$3) and @py<1999	USPAT; US-PGPUB	2003/10/24 15:09
-	16097	((data mappi\$4 with program\$3) and @py<1999) and host with computer	USPAT; US-PGPUB	2003/10/24 15:11
-	3591	((((data mappi\$4 with program\$3) and @py<1999) and host with computer) and (host with computer) near5 (receive\$ or send\$)	USPAT; US-PGPUB	2003/10/24 15:12
-	0	(((((data mappi\$4 with program\$3) and @py<1999) and host with computer) and (host with computer) near5 (receive\$ or send\$)) and "data remapping"	USPAT; US-PGPUB	2003/10/24 15:13
-	5	(((((data mappi\$4 with program\$3) and @py<1999) and host with computer) and (host with computer) near5 (receive\$ or send\$)) and (data near5 remapping)	USPAT; US-PGPUB	2003/10/24 15:25
-	19	(((((data mappi\$4 with program\$3) and @py<1999) and host with computer) and (host with computer) near5 (receive\$ or send\$)) and remappi\$5	USPAT; US-PGPUB	2003/10/24 15:31
-	207	717/168.ccls.	USPAT; US-PGPUB	2003/10/24 15:31
-	34	@py<1999 and 717/168.ccls.	USPAT; US-PGPUB	2003/10/24 15:31
-	1	@py<1999 and data with remappi\$7 with program same host	USPAT; US-PGPUB	2003/10/27 08:35
-	19	@py<1999 and data with mappi\$7 with program same host	USPAT; US-PGPUB	2003/10/27 12:05
-	37	@py<1999 and data same mappi\$7 same program near5 host	USPAT; US-PGPUB	2003/10/27 09:22
-	1	@py<1999 and data near mappi\$7 near program same host	USPAT; US-PGPUB	2003/10/27 09:44
-	310	@py<1999 and data with mappi\$7 with program	USPAT; US-PGPUB	2003/10/27 09:59
-	191	@py<1999 and data with mappi\$7 with program and control with program	USPAT; US-PGPUB	2003/10/27 10:00
-	69	@py<1999 and data with mappi\$7 with program and control with program and host	USPAT; US-PGPUB	2003/10/27 10:00
-	1	5581458.pn.	USPAT; US-PGPUB	2003/10/27 12:06
-	1	5657301.pn.	USPAT; US-PGPUB	2003/10/27 12:07
-	1	5844769.pn.	USPAT; US-PGPUB	2003/10/27 12:07
-	1	5844796.pn.	USPAT; US-PGPUB	2003/10/27 12:08
-	1	5603056.pn.	USPAT; US-PGPUB	2003/10/27 12:10
-	1	5651132.pn.	USPAT; US-PGPUB	2003/10/27 12:12
-	1	5307346.pn.	USPAT; US-PGPUB	2003/10/27 12:23

L Number	Hits	Search Text	DB	Time stamp
-	6293657	@py<1999	USPAT; US-PGPUB	2003/10/16 10:58
-	832044	vending machin\$	USPAT; US-PGPUB	2003/10/16 11:04
-	516382	(vending machin\$) and @py<1999	USPAT; US-PGPUB	2003/10/16 11:18
-	16	((vending machin\$) and @py<1999) and 717/168.ccls.	USPAT; US-PGPUB	2003/10/16 11:16
-	6	((vending machin\$) and @py<1999) and 717/169.ccls.	USPAT; US-PGPUB	2003/10/16 11:11
-	29	((vending machin\$) and @py<1999) and 717/170.ccls.	USPAT; US-PGPUB	2003/10/16 11:12
-	12	((vending machin\$) and @py<1999) and 717/171.ccls.	USPAT; US-PGPUB	2003/10/16 11:14
-	1	((vending machin\$) and @py<1999) and 717/172.ccls.	USPAT; US-PGPUB	2003/10/16 11:14
-	10	((vending machin\$) and @py<1999) and 717/173.ccls.	USPAT; US-PGPUB	2003/10/16 11:16
-	3	((vending machin\$) and @py<1999) and rewrite\$ and cotrol\$ and program\$	USPAT; US-PGPUB	2003/10/16 11:16
-	107	(vending machin\$) and 717/168.ccls.	USPAT; US-PGPUB	2003/10/16 11:17
-	16	((vending machin\$) and 717/168.ccls.) and @py<1999	USPAT; US-PGPUB	2003/10/16 11:17
-	16835	(vending machin\$) and 717\$	USPAT; US-PGPUB	2003/10/16 11:22
-	0	((vending machin\$) and @py<1999) and 717/174.ccls	USPAT; US-PGPUB	2003/10/16 11:22
-	9	((vending machin\$) and @py<1999) and 717/174.ccls.	USPAT; US-PGPUB	2003/10/16 11:23
-	10	((vending machin\$) and @py<1999) and 717/175.ccls.	USPAT; US-PGPUB	2003/10/16 11:23
-	6	((vending machin\$) and @py<1999) and 717/176.ccls.	USPAT; US-PGPUB	2003/10/16 11:23
-	4	((vending machin\$) and @py<1999) and 717/177.ccls.	USPAT; US-PGPUB	2003/10/16 11:25
-	13	((vending machin\$) and @py<1999) and 717/178.ccls.	USPAT; US-PGPUB	2003/10/16 11:25

L Number	Hits	Search Text	DB	Time stamp
-	207	717/168.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 14:41
-	23041861	@py<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 14:42
-	44	@py<2000 and 717/168.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 14:45
-	2059614	vending-machine\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 14:45
-	1510505	(vending machine\$) and @py<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 14:47
-	0	((vending machine\$) and @py<2000) and conrol\$ with device\$ with program\$ with rewritabl\$ with memor\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 14:50
-	0	((vending machine\$) and @py<2000) and suytem\$ with rewrit\$ with control with program\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 14:53
-	222	((vending machine\$) and @py<2000) and rewrit\$ with control with program\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 16:49
-	2	((vending machine\$) and @py<2000) and rewrit\$ with control with program\$ with remot\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 14:34
-	2	((vending machine\$) and @py<2000) and rewrit\$ with control with program\$) and rewrit\$ with control with program\$ with remot\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/15 16:38
-	5212	"18" (((vending machine\$) and @py<2000) and rewrit\$ with control with program\$) and rewrit\$ with control with program\$ with remot\$	USPAT; US-PGPUB	2003/10/15 16:41
-	147	((vending machine\$) and @py<2000) and rewrit\$ with control with program\$	USPAT; US-PGPUB	2003/10/15 16:49
-	3	method with update WITH new with version near5 control with program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 09:22
-	402	method NEAR control near program\$	USPAT; US-PGPUB	2003/10/16 09:26
-	3	(method NEAR control near program\$) with remot\$	USPAT; US-PGPUB	2003/10/16 09:28
-	7421	vending near machine	USPAT; US-PGPUB	2003/10/16 09:28
-	1248	(vending near machine) and update\$	USPAT; US-PGPUB	2003/10/16 09:28
-	2668	(vending near machine) and program\$	USPAT; US-PGPUB	2003/10/16 09:29

-	6293657	@py<1999	USPAT; US-PGPUB	2003/10/16 09:30
-	44551	((@py<1999 and ((vending near machine) and update\$)) "control program"	USPAT; US-PGPUB	2003/10/16 09:30
-	7400	((@py<1999 and ((vending near machine) and update\$)) "vending machine"	USPAT; US-PGPUB	2003/10/16 09:32
-	360	@py<1999 and ((vending near machine) and update\$)	USPAT; US-PGPUB	2003/10/16 10:03
-	690776	vending machine	USPAT; US-PGPUB	2003/10/16 10:29
-	366415	update\$ or Version\$	USPAT; US-PGPUB	2003/10/16 10:32
-	496638	control and program\$	USPAT; US-PGPUB	2003/10/16 10:35
-	426168	(vending machine) and @py<1999	USPAT; US-PGPUB	2003/10/16 10:36
-	43717	((vending machine) and @py<1999) and (update\$ or Version\$)	USPAT; US-PGPUB	2003/10/16 10:37
-	24969	((vending machine) and @py<1999) and (update\$ or Version\$) and (control and program\$)	USPAT; US-PGPUB	2003/10/16 10:39
-	24969	((vending machine) and @py<1999) and (update\$ or Version\$) and (control and program\$) and @py<1999	USPAT; US-PGPUB	2003/10/16 10:40
-	3	method\$ with update WITH new with version\$ near5 control with program\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 12:56
-	2	6363417.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 14:35
-	0	6363417.pn. and host near5 (send\$ or transmit\$ or transfer\$) near5 recei\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 15:19
-	2	6363417.pn. and host\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 15:49
-	2	5889942.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 15:52
-	1789832	5889942.pn. and host or system and receiv\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:33
-	2138	709/217.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:34
-	3715	709/203.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:34
-	2080	709/219.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:35

-	2115	709/217.ccls. and system\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 17:26
-	2408	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 17:28
-	27	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer and vending	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 17:29
-	22	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer and vending and updat\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 17:29
-	5	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer and vending and (updat\$7 or upgrad\$7) and data with map\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/16 17:31
-	22	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer and vending and (updat\$7 or upgrad\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 08:37
-	5	6018720.URPN.	USPAT	2003/10/16 18:01
-	5	6018720.URPN.	USPAT	2003/10/16 18:01
-	3966203	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer and vending and (updat\$7 or upgrad\$7) with logic unit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 08:39
-	13	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer and vending and (updat\$7 or upgrad\$7) and remot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 09:40
-	4	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer and vending and (updat\$7 or upgrad\$7) WITH remot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 08:57
-	3	6311322.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 16:43
-	3	6311322.pn. and rewrit\$5 with program\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 09:04
-	1	6311322.pn. and rewrit\$5 with program\$3 and execut\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 09:13
-	1	5295263.pn. and rewrit\$5 with program\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 09:15
-	1	5295263.pn. and rewrit\$5 with program\$3 same schedu\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/17 09:18

-	1	5295263.pn. and rewrit\$5 with program\$3 same schedu\$3 and schedule\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 09:18
-	5	control\$5 with program\$5 and stor\$6 with unit\$2 and rewrit\$6 with memor\$5 and computer and vending and (updat\$7 or upgrad\$7) and remot\$3 and data\$3 with map\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 13:58
-	2	6498965.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 14:01
-	2	5959869.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 14:45
-	2	11195164.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 15:19
-	2	10198845.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 14:06
-	2	6073207.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 14:45
-	7	1004993.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 15:20

L Number	Hits	Search Text	DB	Time stamp
-	1	5959869.pn.	USPAT; US-PGPUB	2003/10/20 08:44
-	8	1195164.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 10:44
-	7	1004993.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:45
-	1	20010709.ptpd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:48
-	42	20010809.ptpd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 09:49
-	1	6498965.pn.	USPAT; US-PGPUB	2003/10/20 10:23
-	1	6496753.pn.	USPAT; US-PGPUB	2003/10/20 10:23
-	1	6507881.pn.	USPAT; US-PGPUB	2003/10/20 10:26
-	1	6073207.pn.	USPAT; US-PGPUB	2003/10/20 10:32
-	2	10198845.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 10:34
-	1787	@py<1999 and host with computer same plural	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 10:46
-	41	@py<1999 and host with computer same plural with control with program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:13
-	1	@py<1999 and host with computer with simultan\$7 same plural with control with program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 10:49
-	1	@py<1999 and host with computer with simultan\$7 with control with program same plural	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 10:53
-	2	@py<1999 and host with computer with control with program same predetermin\$5 with schedu\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 13:24
-	25	@py<1999 and host with computer with control with program same data\$3 with map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:36
-	5	@py<1999 and host with computer with control with program same data\$3 with map\$5 and machine\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 13:50

-	2	@py<1999 and host with computer with control with program same data\$3 with mappin\$5 and machine\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 13:42
-	292	@py<1999 and rec\$7 with data\$3 with map\$5 same host with computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 13:55
-	59	@py<1999 and rec\$7 with data\$3 with map\$5 same host with computer and machine\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 13:56
-	1	@py<1999 and rec\$7 with data\$3 with map\$5 same host with computer and vending with machine\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 14:26
-	3	6311322.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 14:37
-	2	5844769.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 14:38
-	2	5844769.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 14:39
-	25	@py<1999 and host with computer same rewrite\$4 with program\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:56
-	5634268	@py<1999 and host with computer same rewrite\$4 with program\$3 same pre with determin\$5 or (time\$3 or schedule\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:58
-	5634268	@py<1999 and host with computer same rewrite\$4 with program\$3 same pre with determin\$5 or (time\$3 or schedule\$3) and (time\$3 or schedule\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:59
-	120678	@py<1999 and host with computer same rewrite\$4 with program\$3 same pre with determin\$5 or (time\$3 or schedule\$3) and schedule\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:00
-	3273	@py<1999 and host with computer same rewrite\$4 with program\$3 same pre with determin\$5 or (time\$3 or schedule\$3) and schedule\$3 and pre adj determin\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:07
-	14097	@py<1999 and host with computer same rewrite\$4 with program\$3 same pre with determin\$5 or (time\$3 or schedule\$3) and vending\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:05
-	2	5657301.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:26

-	755	@py<1999 and host with computer with control with program and communica\$7 with contro\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:43
-	1	@py<1999 and conrol\$4 with communica\$7 same host with computer\$3	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:46
-	1	@py<1999 and conrol\$4 with communica\$7 with host with computer\$3	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:52
-	540	@py<1999 and host with computer\$2 with send\$3 same data\$2 with informatio\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:54
-	3	@py<1999 and host with computer\$2 with send\$3 same data\$2 with mapping\$4 with informatio\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:11
-	0	@py<1999 and host with computer\$2 with send\$3 same data\$2 near mapping\$4 near informatio\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:34
-	0	@py<1999 and data with re adj mapping\$5 with program\$ same host with computer\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:37
-	0	@py<1999 and data same re adj mapping\$5 same program\$ same host with computer\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:37

L Number	Hits	Search Text	DB	Time stamp
-	6293657	@py<1999	USPAT; US-PGPUB	2003/10/24 15:07
-	13	"data mapping program"	USPAT; US-PGPUB	2003/10/24 15:08
-	1013527	data mappi\$4 with program\$3	USPAT; US-PGPUB	2003/10/24 15:08
-	499381	(data mappi\$4 with program\$3) and @py<1999	USPAT; US-PGPUB	2003/10/24 15:09
-	16097	((data mappi\$4 with program\$3) and @py<1999) and host with computer.	USPAT; US-PGPUB	2003/10/24 15:11
-	3591	((((data mappi\$4 with program\$3) and @py<1999) and host with computer) and (host with computer) near5 (receive\$ or send\$)	USPAT; US-PGPUB	2003/10/24 15:12
-	0	(((((data mappi\$4 with program\$3) and @py<1999) and host with computer) and (host with computer) near5 (receive\$ or send\$)) and "data remapping"	USPAT; US-PGPUB	2003/10/24 15:13
-	5	(((((data mappi\$4 with program\$3) and @py<1999) and host with computer) and (host with computer) near5 (receive\$ or send\$)) and (data near5 remapping)	USPAT; US-PGPUB	2003/10/24 15:25
-	19	(((((data mappi\$4 with program\$3) and @py<1999) and host with computer) and (host with computer) near5 (receive\$ or send\$)) and remappi\$5	USPAT; US-PGPUB	2003/10/24 15:31
-	0	171/168.ccls.	USPAT; US-PGPUB	2003/10/24 15:31
-	207	717/168.ccls.	USPAT; US-PGPUB	2003/10/24 15:31
-	34	@py<1999 and 717/168.ccls.	USPAT; US-PGPUB	2003/10/24 15:31